

**Списък с научни публикации, публикувани в реферирани и индексирани
световноизвестни бази данни с научна информация**

Проф. д-р Вилиана Василева

1. Kalapchieva S., Kosev V., **Vasileva V.** (2022). Biological potential assessment of the samples
2. of garden pea (*Pisum sativum* L.) through the orthogonal analysis method. Pakistan Journal of Botany, vol. 54, 3. DOI: [http://dx.doi.org/10.30848/PJB2022-3\(41\)](http://dx.doi.org/10.30848/PJB2022-3(41))
3. Golubkina N., Moldovan A., Kekina H., Kharchenko V., Sekara A., **Vasileva V.**, Skrypnik L., Tallarita A., Caruso G. (2021). Joint Biofortification of Plants with Selenium and Iodine: New Field of Discoveries. Plants, 10, 1352. <https://doi.org/10.3390/>
4. **Vasileva V.**, Kostov O. (2020). Organic fertilization of lucerne and the following oat crop in non-irrigated conditions. Basrah Journal of Agricultural Science, ISSN 1814 – 5868, E-ISSN: 2520-0860, volume 33, Issue 2, 106-114. DOI: <https://doi.org/10.37077/25200860.2020.33.2.09>
5. **Vasileva V.**, Vasilev E. (2020). Agronomic characterization and the possibility for potential use of subterranean clover in the forage production in Bulgaria. Pakistan Journal of Botany, 52, 2, 1-4. DOI: [http://dx.doi.org/10.30848/PJB2020-2\(26\)](http://dx.doi.org/10.30848/PJB2020-2(26))
6. Golubinova I., Marinov-Serafimov P., **Vasileva V.** (2020). Allelopathic activity of rhizosphere soil in alfalfa - *Sorghum* sp. mixed growing. Indian Journal of Agricultural Sciences, 90, 5, 963-967. <http://epubs.icar.org.in/ejournal/index.php/IJAgS/issue/view/2968>
7. **Vasileva V.**, Ilieva A., Vasilev E. (2019). Content of cyanogenic glycosides in forage biomass of birds'-foot trefoil (*Lotus corniculatus*) grown alone and in mixed population. Indian Journal of Agricultural Sciences, 89, 11, 1985-1987. <https://epubs.icar.org.in/index.php/IJAgS/article/view/95359>
8. **Vasileva V.**, Naydenova Y., Stoycheva I. (2019). Nutritive value of forage biomass from sainfoin mixtures. Saudi Journal of Biological Sciences, 26, 942-949. <https://doi.org/10.1016/j.sjbs.2018.03.012>
9. Kosev V., **Vasileva V.** (2019). Ecological sustainability and stability of quantitative signs in vetch (*Vicia villosa*) varieties. Indian Journal of Agricultural Sciences, 89, 7, 1108-1114. <https://epubs.icar.org.in/index.php/IJAgS/article/view/91652/37216>
10. **Vasileva V.**, Tariq M. (2018). Studies on nodulating capacity of some forage legumes grown alone or in mixtures. Planta Daninha, Print version ISSN 0100-8358, On-line version ISSN 1806-9681, 1-6. Doi: 10.1590/S0100-83582018360100033

11. **Vasileva V.**, Kostov O. (2018). Performance of oats (*Avena sativa*) in response to preceding alfalfa (*Medicago sativa*) on mineral fertilization versus organic manuring on Chernozem soil. *Indian Journal of Agricultural Sciences*, 88 (3), 416-419. <https://epubs.icar.org.in/index.php/IJAgS/article/view/78517/32297>
12. Kosev V., **Vasileva V.**, Kusvuran A. (2018). Orthogonal regressions of pea (*Pisum L.*) varieties. *Turkish Journal of Field Crops*, 23 (2), 159-166. DOI: 10.17557/tjfc.484985
13. Nikolova I., Georgieva N., **Vasileva V.** (2018). Chemical composition of perennial forage crops depending on the system of cultivation and correlative relationships with root pests damage. *Journal of Mountain Agriculture on the Balkans, Research Institute of Mountain Stockbreeding and Agriculture, Troyan*, 21 (4), 93-105. <https://jmabonline.com/en/article/9bTJQuabli8OpCVOlgsu>
14. **Vasileva V.**, Mitova T., Mohammad Athar (2017). Enhancement of biomass production of birdsfoot trefoil, sainfoin and subterranean clover by mixed cropping with perennial ryegrass. *Pakistan Journal of Botany*, 49(1): 115-118. <file:///C:/Users/admin/Downloads/16.pdf>
15. **Vasileva V.**, Ilieva A. (2017). Some physiological parameters in mixtures of cocksfoot and tall fescue with subterranean clover. *Bulgarian Journal of Agricultural Science*, 23, 1, 71-75. <http://www.agrojournal.org/23/01-09.pdf>
16. **Vasileva V.**, Kertikov T., Ilieva A. (2017). Dry mass yield and amount of fixed nitrogen in some forage legume crops after treatment with organic fertilizer Humustim. *Bulgarian Journal of Agricultural Sciences*, 23, 5, 816-819. <https://www.agrojournal.org/23/05-19.html>
17. **Vasileva V.**, Ilieva A. (2017). Contribution of subterranean clover (*Trifolium subterraneum*) to changes in morphological and physiological parameters raised alone and with birdsfoot trefoil (*Lotus corniculatus*). *Indian Journal of Agricultural Sciences*, 87 (3), 402-406. <https://epubs.icar.org.in/index.php/IJAgS/article/view/68785>
18. **Vasileva V.**, Kocheva K., Mincheva J., Georgiev G., Ilieva A., Porqueddu C. (2017). Physiological analysis of growth and nitrogen metabolism of intercropped pasture species subterranean clover (*Trifolium Subterraneum L.*) and cocksfoot (*Dactylis Glomerata L.*) supplemented with different inorganic nitrogen. *Journal of Plant Nutrition*, vol. 40, issue 15, <https://doi.org/10.1080/01904167.2016.1269339>

19. **Vasileva V.** (2015). Aboveground to root biomass ratios in pea and vetch after treatment with organic fertilizer. *Global Journal of Environmental Science and Management (GJESM)*, 1 (2): 71-74, Spring 2015, ISSN 2383-3572. DOI: 10.7508/gjesm.2015.02.006
20. **Vasileva V.** (2015). Root biomass accumulation in vetch (*Vicia sativa* L.) after treatment with organic fertilizer. *Banat's Journal of Biotechnology*, VI (11), 100-105. DOI: 10.7904/2068-4738-VI(11)-100
21. **Vasileva V., Kostov O.** (2015). Effect of mineral and organic fertilization on alfalfa forage and soil fertility. *Emirates Journal of Food and Agriculture*, 27, 9, 678-686. doi: 10.9755/ejfa.2015.05.288
22. **Vasileva V., Pachev I.** (2015). Nitrogen use efficiency and life cycle of nodules in alfalfa after different mineral fertilization and soil cultivation. *Global Journal of Environmental Science and Management* 1 (4): 333-339, Autumn 2015 <http://dx.doi.org/10.7508/gjesm.2015.04.008>
23. **Vasileva V., Vasilev E., Katova A.** (2015). Effect of spring forage pea (*Pisum sativum* L.) as a cover crop of ryegrass (*Lolium perenne* L.) on soil nitrogen content. *Journal of Mountain Agriculture on the Balkans, Agricultural Academy*, ISSN 1311-0489, vol. 18, 2, 257-266. <https://jmabonline.com/en/article/ifK0qunlgcexJboHa0Si>
24. **Vasileva V.** (2013). Effect of increasing doses of mineral nitrogen fertilization on chemical composition of lucerne (*Medicago sativa* L.) under optimum water supply and water deficiency stress. *Banat's Journal of Biotechnology*, ISSN: 2068-4673, IV (7), 80-85. DOI: 10.7904/2068-4738-IV(7)-80
25. **Vasileva V.** (2014). Changes in chemical composition of soybean [*Glycine max* (L.) Merrill] plant after presowing treatment of seeds with insecticides. *Bulgarian Journal of Agricultural Science*, ISSN: 1310-0351, 20, No 5, 1119-1122. <http://www.agrojournal.org/20/05-16.pdf>
26. **Vasileva V.** (2012). Nitrogen content in yield of dry aboveground and root mass of forage lucerne (*Medicago sativa* L.) after mineral nitrogen fertilization and water deficiency stress. *Agronomy Research*, 10 (1-2), 351-356. <http://agronomy.emu.ee/vol101/p10109.pdf>